

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19461	345/86-110.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 17:02
L2	1285	359/265.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 17:02
L3	67	(Erwin with Rinaldo with Meinders).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 17:03
S1	1853624	(display\$1 or screen\$1 or L\$1C\$1D\$1 or "LCD" or monitor\$1)	US-PGPUB; USPAT	OR	ON	2008/09/10 10:14
S2	3479503	touch\$4 or finger\$1 or pat\$1	US-PGPUB; USPAT	OR	ON	2008/09/10 10:16
S3	2522417	photosens\$4 or sens\$4 or feeler or detect\$4	US-PGPUB; USPAT	OR	ON	2008/09/10 10:23
S4	2849031	power\$1 or volt\$4 or energy	US-PGPUB; USPAT	OR	ON	2008/09/10 10:24
S7	192601	("345" or "348").clas.	US-PGPUB; USPAT	OR	ON	2008/09/10 10:27
S9	2061949	light or photon\$3 or bright\$5 or illuminat\$4	US-PGPUB; USPAT	OR	ON	2008/09/10 10:32
S10	3177297	pressure or force or stress	US-PGPUB; USPAT	OR	ON	2008/09/10 10:35
S13	1149337	pixel or picture adj element\$1 or "picture element" or image	US-PGPUB; USPAT	OR	ON	2008/09/10 10:46
S19	1853624	(display\$1 or screen\$1 or L\$1C\$1D\$1 or "LCD" or monitor\$1)	US-PGPUB; USPAT	OR	ON	2008/09/10 10:50
S20	3479503	touch\$4 or finger\$1 or pat\$1	US-PGPUB; USPAT	OR	ON	2008/09/10 10:50
S21	2522417	photosens\$4 or sens\$4 or feeler or detect\$4	US-PGPUB; USPAT	OR	ON	2008/09/10 10:50
S22	2849031	power\$1 or volt\$4 or energy	US-PGPUB; USPAT	OR	ON	2008/09/10 10:50
S23	192601	("345" or "348").clas.	US-PGPUB; USPAT	OR	ON	2008/09/10 10:50

S24	2061949	light or photon\$3 or bright\$5 or illuminat\$4	US-PGPUB; USPAT	OR	ON	2008/09/10 10:50
S25	3177297	pressure or force or stress	US-PGPUB; USPAT	OR	ON	2008/09/10 10:50
S26	296450	pixel or picture adj element\$1	US-PGPUB; USPAT	OR	ON	2008/09/10 10:53
S27	1095	S19 same S20 same S21 same S24 and S22 same S25 and S26	US-PGPUB; USPAT	OR	ON	2008/09/10 10:54
S28	494	S19 same S20 with S21 same S24 and S22 same S25 and S26	US-PGPUB; USPAT	OR	ON	2008/09/10 10:57
S29	52	S19 same S20 with S21 same S24 same S22 same S25 and S26	US-PGPUB; USPAT	OR	ON	2008/09/10 10:58
S30	101	S19 same S20 same S21 same S24 same S22 same S25 and S26	US-PGPUB; USPAT	OR	ON	2008/09/10 10:59
S31	286	S27 and S23	US-PGPUB; USPAT	OR	ON	2008/09/10 10:59
S32	0	"2003156087"	US-PGPUB; USPAT	OR	ON	2008/09/10 11:32
S33	0	"2003156230"	US-PGPUB; USPAT	OR	ON	2008/09/10 11:32
S34	34	boet.in.	US-PGPUB; USPAT	OR	ON	2008/09/10 11:35
S35	1053	boer.in.	US-PGPUB; USPAT	OR	ON	2008/09/10 11:38
S36	19	"5568292"	US-PGPUB; USPAT	OR	ON	2008/09/10 11:56
S37	1	"5568292".pn.	US-PGPUB; USPAT	OR	ON	2008/09/10 11:57
S38	231	349/12.ccls.	US-PGPUB; USPAT	OR	ON	2008/09/10 13:12
S39	4356	345/173.ccls.	US-PGPUB; USPAT	OR	ON	2008/09/10 13:38
S40	11	(US-20050134751-\$ or US-20050156901-\$ or US-20020015024-\$). did. or (US-7190416-\$ or US-6362815-\$ or US- 7286204-\$ or US- 7274424-\$ or US- 7053967-\$ or US- 7009663-\$ or US- 6654071-\$ or US- 6104448-\$).did.	US-PGPUB; USPAT	OR	ON	2008/09/10 14:15
S41	35947	S19 and S20 and S21 and S22 and S25 and S26	US-PGPUB; USPAT	OR	ON	2008/09/10 14:16

S42	9	S19 and S20 and S21 and S22 and S25 and S26 and S40	US-PGPUB; USPAT	OR	ON	2008/09/10 14:16
S43	1	"5838308".pn.	US-PGPUB; USPAT	OR	ON	2008/09/10 16:46
S44	166334	electrode and switch	US-PGPUB; USPAT	OR	ON	2008/09/10 17:57
S45	6	S42 and S44	US-PGPUB; USPAT	OR	ON	2008/09/10 17:57
S46	0	electrode same (touch or pressure) same senor and "20050134751"	US-PGPUB; USPAT	OR	ON	2008/09/10 18:22
S47	2	electrode same (touch or pressure) and "20050134751"	US-PGPUB; USPAT	OR	ON	2008/09/10 18:23
S48	0	electrode same (touch or pressure) same volt \$4 and "20050134751"	US-PGPUB; USPAT	OR	ON	2008/09/10 18:24
S49	2	panel same (touch or pressure) and "20050134751"	US-PGPUB; USPAT	OR	ON	2008/09/10 18:41
S50	25513	(other adj panel) or (one adj panel) or (another adj panel) and "20050134751"	US-PGPUB; USPAT	OR	ON	2008/09/10 18:48
S51	0	((other adj panel) or (one adj panel) or (another adj panel)) and "20050134751"	US-PGPUB; USPAT	OR	ON	2008/09/10 18:48
S52	0	((other with panel) or (one with panel) or (another with panel)) and "20050134751"	US-PGPUB; USPAT	OR	ON	2008/09/10 18:49
S53	1	"20060097975"	US-PGPUB; USPAT	OR	ON	2008/09/10 18:55
S54	1	"6160532".pn.	US-PGPUB; USPAT	OR	ON	2008/09/11 17:25
S55	1	slope same offset and "6160532".pn.	US-PGPUB; USPAT	OR	ON	2008/09/11 17:26
S56	2	"20050134751" and (pressure same panel)	US-PGPUB; USPAT	OR	ON	2008/09/12 13:55
S57	2	"20050134751" and (pressure\$1 same (panel\$1 or polarizer \$1))	US-PGPUB; USPAT	OR	ON	2008/09/12 13:56
S58	2	"20050134751" and (pressure\$1 or panel\$1 or polarizer\$1)	US-PGPUB; USPAT	OR	ON	2008/09/12 13:58

S59	1	"20060097975" and (pressure\$1 or panel\$1 or polarizer\$1)	US-PGPUB; USPAT	OR	ON	2008/09/12 14:02
S60	2	"20050134751" and (pressure\$1 or panel\$1 or polarizer\$1 or electrode)	US-PGPUB; USPAT	OR	ON	2008/09/12 14:20
S61	2	"20050134751" and (pressure\$1 or "glass substrate" or panel\$1 or polarizer\$1 or electrode)	US-PGPUB; USPAT	OR	ON	2008/09/12 14:42
S62	0	"20050134751" and ("sensing electrode" or "display electrode")	US-PGPUB; USPAT	OR	ON	2008/09/12 16:52
S63	0	"20050134751" and (("sensing electrode") or ("display electrode"))	US-PGPUB; USPAT	OR	ON	2008/09/12 16:52
S64	2	"20050134751" and ((sensing electrode) or (display electrode))	US-PGPUB; USPAT	OR	ON	2008/09/12 16:52
S65	0	"20050134751" and ((sensing adj electrode) or (display adj electrode))	US-PGPUB; USPAT	OR	ON	2008/09/12 16:53
S66	2	"20050134751" and ((sensing with electrode) or (display with electrode))	US-PGPUB; USPAT	OR	ON	2008/09/12 16:53
S67	0	"20050134751" and ((sensing or display) adj electrode)	US-PGPUB; USPAT	OR	ON	2008/09/12 16:55
S68	0	"20050134751" and (sensing or display) adj electrode	US-PGPUB; USPAT	OR	ON	2008/09/12 16:55
S69	1	"20060097975" and (pressure\$1 or "glass substrate" or panel\$1 or polarizer\$1 or electrode)	US-PGPUB; USPAT	OR	ON	2008/09/12 17:41
S70	0	"20050134751" and pressure same electrode	US-PGPUB; USPAT	OR	ON	2008/09/15 10:48
S71	2	"20050134751" and pressure and electrode	US-PGPUB; USPAT	OR	ON	2008/09/15 10:48
S72	2	"20050134751" and pressure same panel	US-PGPUB; USPAT	OR	ON	2008/09/15 10:49
S73	2	"20050134751" and (electrode or light\$1 or beam\$1 or lumin\$6)	US-PGPUB; USPAT	OR	ON	2008/09/15 11:57

S74	2	"20050134751" and (electrode or light\$1 or pressure or touch or lumin\$6)	US-PGPUB; USPAT	OR	ON	2008/09/15 13:29
S75	2	"20050134751" and ("data line" or resolution) and scan\$5 adj line\$1	US-PGPUB; USPAT	OR	ON	2008/09/15 14:51
S76	2	"20050134751" and (electrode or light\$1 or pressure or touch or lumin\$6 or "data line" or resolution) and scan\$5 adj line\$1	US-PGPUB; USPAT	OR	ON	2008/09/15 17:05
S77	2	"20050134751" and (electrode or light\$1 or pressure or touch or lumin\$6 or "data line" or "select line" or scan\$5 or resolution) and scan\$5 adj line\$1	US-PGPUB; USPAT	OR	ON	2008/09/15 17:15
S78	2	"20050134751" and (electrode or light\$1 or pressure or touch or lumin\$6 or "data line" or "select line" or scan\$5 or voltage) and scan\$5 adj line\$1	US-PGPUB; USPAT	OR	ON	2008/09/15 17:45
S79	35115	(electrode near sens\$4) or (sens\$4 or pixel) with microns	US-PGPUB; USPAT	OR	ON	2008/09/16 12:36
S80	24702	(electrode near sens\$4) or (sens\$4 or pixel) with microns and ("345" or "349" or "348").clas.	US-PGPUB; USPAT	OR	ON	2008/09/16 12:39
S81	23558	(electrode near sens\$4) or (sens\$4 or pixel) with microns and ("345").clas.	US-PGPUB; USPAT	OR	ON	2008/09/16 12:39
S82	1857560	(display\$1 or screen\$1 or L\$1C\$1D\$1 or "LCD" or monitor\$1)	US-PGPUB; USPAT	OR	ON	2008/09/16 12:41
S83	3484478	touch\$4 or finger\$1 or pat\$1	US-PGPUB; USPAT	OR	ON	2008/09/16 12:41
S84	2527132	photosens\$4 or sens\$4 or feeler or detect\$4	US-PGPUB; USPAT	OR	ON	2008/09/16 12:41
S85	2853710	power\$1 or volt\$4 or energy	US-PGPUB; USPAT	OR	ON	2008/09/16 12:41
S86	2065486	light or photon\$3 or bright\$5 or illuminat\$4	US-PGPUB; USPAT	OR	ON	2008/09/16 12:41

S87	3181522	pressure or force or stress	US-PGPUB; USPAT	OR	ON	2008/09/16 12:42
S88	297186	pixel or picture adj element\$1	US-PGPUB; USPAT	OR	ON	2008/09/16 12:42
S89	1857560	(display\$1 or screen\$1 or L\$1C\$1D\$1 or "LCD" or monitor\$1)	US-PGPUB; USPAT	OR	ON	2008/09/16 12:42
S90	3484478	touch\$4 or finger\$1 or pat\$1	US-PGPUB; USPAT	OR	ON	2008/09/16 12:42
S91	2527132	photosens\$4 or sens\$4 or feeler or detect\$4	US-PGPUB; USPAT	OR	ON	2008/09/16 12:42
S92	2853710	power\$1 or volt\$4 or energy	US-PGPUB; USPAT	OR	ON	2008/09/16 12:42
S93	35115	(electrode near sens\$4) or (sens\$4 or pixel) with micron	US-PGPUB; USPAT	OR	ON	2008/09/16 12:43
S94	2788	S87 and S88 and S89 and S90 and S91 and S92 and S93	US-PGPUB; USPAT	OR	ON	2008/09/16 12:43
S95	403	S94 and ("345" or "349" or "348").clas.	US-PGPUB; USPAT	OR	ON	2008/09/16 12:44
S96	297	micron and S95	US-PGPUB; USPAT	OR	ON	2008/09/16 12:46
S97	193	micron and electrode and S95	US-PGPUB; USPAT	OR	ON	2008/09/16 13:31
S98	87	micron same electrode and S95	US-PGPUB; USPAT	OR	ON	2008/09/16 13:32
S99	4307	sensor with resolution with (pixel or electrode)	US-PGPUB; USPAT	OR	ON	2008/09/16 14:56
S100	940	S87 and S88 and S89 and S90 and S91 and S92 and S99	US-PGPUB; USPAT	OR	ON	2008/09/16 14:57
S101	94	sensor same resolution with ("1/4" quarter one near fourth) and ("348" "725" "345").clas.	US-PGPUB; USPAT	OR	ON	2008/09/16 16:49
S102	1	"20060028095"	US-PGPUB; USPAT	OR	ON	2008/10/21 13:40
S103	1	"6229247".pn.	US-PGPUB; USPAT	OR	ON	2008/10/21 13:42
S104	1	"6369865".pn.	US-PGPUB; USPAT	OR	ON	2008/10/21 13:46
S105	3	"6295101".pn. "6686980".pn. "6239856".pn.	US-PGPUB; USPAT	OR	ON	2008/10/21 13:49
S106	1879374	(display\$1 or screen\$1 or L\$1C\$1D\$1 or "LCD" or monitor\$1)	US-PGPUB; USPAT	OR	ON	2008/10/21 14:24

S107	2880108	power\$1 or volt\$4 or energy	US-PGPUB; USPAT	OR	ON	2008/10/21 14:24
S108	69475	electrode and layer and substrate and panel	US-PGPUB; USPAT	OR	ON	2008/10/21 14:29
S109	59581	S106 and S107 and S108	US-PGPUB; USPAT	OR	ON	2008/10/21 14:30
S110	50036	(power\$1 or volt\$4 or energy or potential) with (electrode or layer or substrate) and S109	US-PGPUB; USPAT	OR	ON	2008/10/21 14:32
S111	21371	(power\$1 or volt\$4 or energy or potential) adj7 between with (electrode or layer or substrate) and S109	US-PGPUB; USPAT	OR	ON	2008/10/21 14:33
S112	4930	S111 and "345".clas.	US-PGPUB; USPAT	OR	ON	2008/10/21 14:33
S113	4584	S112 and (image or picture or graphic)	US-PGPUB; USPAT	OR	ON	2008/10/21 14:35
S114	18	electrolyte and ((electro adj chrom\$4) or electro\$1chrom\$4) with (material or composition or substrate) and S113	US-PGPUB; USPAT	OR	ON	2008/10/21 14:38
S115	9229	S111 and ("345" or "349").clas.	US-PGPUB; USPAT	OR	ON	2008/10/21 14:43
S116	8462	S115 and (image or picture or graphic)	US-PGPUB; USPAT	OR	ON	2008/10/21 14:44
S117	21	electrolyte and ((electro adj chrom\$4) or electro\$1chrom\$4) with (material or composition or substrate) and S116	US-PGPUB; USPAT	OR	ON	2008/10/21 14:44
S118	22	electrolyte and ((electro adj chrom\$4) or electro\$1chrom\$4) same (material or composition or substrate) and S116	US-PGPUB; USPAT	OR	ON	2008/10/21 14:46
S119	1663	electrolyte and ((electro adj chrom\$4) or electro\$1chrom\$4) with (material or composition or substrate) and S106 and S107	US-PGPUB; USPAT	OR	ON	2008/10/21 15:22
S120	171	S119 and ("345" or "349").clas.	US-PGPUB; USPAT	OR	ON	2008/10/21 15:23

S121	1	"6753999".pn.	US-PGPUB; USPAT	OR	ON	2008/10/21 15:28
S122	914	359/265.ccls.	US-PGPUB; USPAT	OR	ON	2008/10/21 15:46
S123	593	electrolyte and ((electro adj chrom\$4) or electro\$1chrom\$4) same (material or composition or substrate) and S122	US-PGPUB; USPAT	OR	ON	2008/10/21 15:47
S124	530	(power\$1 or volt\$4 or energy or potential) with (electrode or layer or substrate) and S123	US-PGPUB; USPAT	OR	ON	2008/10/21 15:47
S125	248	S124 and (image or picture or graphic)	US-PGPUB; USPAT	OR	ON	2008/10/21 15:48
S126	139	"6580545"	US-PGPUB; USPAT	OR	ON	2008/10/21 15:55
S127	1	"6580545".pn.	US-PGPUB; USPAT	OR	ON	2008/10/21 15:55
S128	5	"7,116,309".pn. "6,268,092".pn. "5,790,215".pn. "4,781,444".pn. "4,135,790".pn.	US-PGPUB; USPAT	OR	ON	2008/10/21 16:00
S129	1	electrode same volt\$5 and "7116309".pn.	US-PGPUB; USPAT	OR	ON	2008/10/22 09:54
S130	1	(Red or Green or Yellow or Blue) and Color and filter and "7116309".pn.	US-PGPUB; USPAT	OR	ON	2008/10/22 10:49
S131	1	(Memory or Stor\$5) and (display or layer) and "7116309".pn.	US-PGPUB; USPAT	OR	ON	2008/10/22 11:05
S132	1	(Memory or Stor\$5) same (display or layer) and "7116309".pn.	US-PGPUB; USPAT	OR	ON	2008/10/22 11:06
S133	25	(US-20050134751-\$ or US-20060028095-\$ or US-20040021921-\$ or US-20070109218-\$ or US-20020196519-\$). did. or (US-7190416-\$ or US-7286204-\$ or US- 7053967-\$ or US- 7009663-\$ or US- 6654071-\$ or US- 6104448-\$ or US- 6229247-\$ or US- 6295101-\$ or US- 6686980-\$ or US- 7116309-\$ or US-	US-PGPUB; USPAT	OR	ON	2008/10/22 11:10

		6753999-\$ or US-5416617-\$ or US-6160655-\$ or US-6798472-\$ or US-6580545-\$ or US-4923289-\$ or US-4960324-\$ or US-5016991-\$ or US-6639708-\$ or US-6995891-\$).did.				
S134	25	(US-20050134751-\$ or US-20060028095-\$ or US-20040021921-\$ or US-20070109218-\$ or US-20020196519-\$).did. or (US-7190416-\$ or US-7286204-\$ or US-7053967-\$ or US-7009663-\$ or US-6654071-\$ or US-6104448-\$ or US-6229247-\$ or US-6295101-\$ or US-6686980-\$ or US-7116309-\$ or US-6753999-\$ or US-5416617-\$ or US-6160655-\$ or US-6798472-\$ or US-6580545-\$ or US-4923289-\$ or US-4960324-\$ or US-5016991-\$ or US-6639708-\$ or US-6995891-\$).did.	US-PGPUB; USPAT	OR	ON	2008/10/22 11:11
S135	4	"color filter" with pixel same (color or red or green or blue) and S134	US-PGPUB; USPAT	OR	ON	2008/10/22 11:11
S136	1	"20070121190" and light	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 17:04
S137	1	"20070121190" and depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 17:06
S138	1	"20070121190" and hole and electron	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 17:52

S139	25	(US-20050134751-\$ or US-20060028095-\$ or US-20040021921-\$ or US-20070109218-\$ or US-20020196519-\$). did. or (US-7190416-\$ or US-7286204-\$ or US-7053967-\$ or US-7009663-\$ or US-6654071-\$ or US-6104448-\$ or US-6229247-\$ or US-6295101-\$ or US-6686980-\$ or US-7116309-\$ or US-6753999-\$ or US-5416617-\$ or US-6160655-\$ or US-6798472-\$ or US-6580545-\$ or US-4923289-\$ or US-4960324-\$ or US-5016991-\$ or US-6639708-\$ or US-6995891-\$).did.	US-PGPUB; USPAT	OR	ON	2009/05/06 18:01
S140	14	(thick\$5 or depth) and (hole or electron) and S139	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 18:02
S141	7	("4923289").URPN.	USPAT	OR	ON	2009/05/06 18:31
S142	695	thick\$5 same hole same (transparen\$4 or light or beam) and "359".clas.	USPAT	OR	ON	2009/05/06 18:48
S143	48	(electro\$1chrom\$5 or (electro adj chrom\$5)) and S142	USPAT	OR	ON	2009/05/06 18:51
S144	42	@ay<"2006" and S143	USPAT	OR	ON	2009/05/06 18:51
S145	390	thick\$5 same hole same (transparen\$4 or light or beam) and "345".clas.	USPAT	OR	ON	2009/05/07 10:46
S146	19	(electro\$1chrom\$5 or (electro adj chrom\$5)) and S145	USPAT	OR	ON	2009/05/07 10:46
S147	431	(thick\$5 or depth) same hole same (transparen\$4 or light or beam) and "345". clas.	USPAT	OR	ON	2009/05/07 10:52

S148	20	(electro\$1chrom\$5 or (electro adj chrom\$5)) and S147	USPAT	OR	ON	2009/05/07 10:53
S153	9479	(electro\$1chrom\$5 or (electro adj chrom\$5))	US-PGPUB; USPAT	OR	ON	2009/05/07 11:52
S154	717	(thick\$5 or depth) same (hole or dot or gap) same (transparen\$4 or light or beam) and S153	US-PGPUB; USPAT	OR	ON	2009/05/07 11:53
S155	191	(thick\$5 or depth) same (hole or dot or gap) same (transparen\$4 or light or beam) same2 (electro\$1chrom\$5 or (electro adj chrom\$5))	US-PGPUB; USPAT	OR	ON	2009/05/07 11:54
S156	133	@ay< "2006" and S155	US-PGPUB; USPAT	OR	ON	2009/05/07 11:55
S157	1512	(thick\$5 or depth) with (hole or dot or cavit\$3) with (transparen\$4 or light or beam) and ("345" or "349" or "359").clas.	US-PGPUB; USPAT	OR	ON	2009/05/07 12:03
S158	73	(electro\$1chrom\$5 or (electro adj chrom\$5)) and S157	US-PGPUB; USPAT	OR	ON	2009/05/07 12:04
S159	55	@ay< "2006" and S158	US-PGPUB; USPAT	OR	ON	2009/05/07 12:04
S160	5768	(thick\$5 or depth) same (hole or dot or cavit\$3) same (transparen\$4 or light or beam) and ("345" or "349" or "359").clas.	US-PGPUB; USPAT	OR	ON	2009/05/07 12:27
S161	218	(electro\$1chrom\$5 or (electro adj chrom\$5)) and S160	US-PGPUB; USPAT	OR	ON	2009/05/07 12:27
S162	179	@ay< "2006" and S161	US-PGPUB; USPAT	OR	ON	2009/05/07 12:28
S163	124	S162 not S159	US-PGPUB; USPAT	OR	ON	2009/05/07 12:28
S164	0	"4008950".pn. and pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:48

S165	3	"4008950".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:48
S166	2	"7053967".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:51
S167	293	("EC" or "E.C" or electro \$1chrom\$3 or (electro adj chrom\$3)) adj3 (display or screen or device) and filter with pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:53
S168	24	("EC" or "E.C" or electro \$1chrom\$3 or (electro adj chrom\$3)) adj3 (display or screen or device) same filter with pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:54
S169	1	"20010026260" and (driving adj method) and (matrix adj driving)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 14:26

5/ 8/ 2009 5:04:05 PM

C:\ Documents and Settings\ pfang\ My Documents\ EAST\ Workspaces\ 10576314.wsp